

# *Astérisque*

## **Index**

*Astérisque*, tome 264 (2000), p. 169-171

[<http://www.numdam.org/item?id=AST\\_2000\\_\\_264\\_\\_169\\_0>](http://www.numdam.org/item?id=AST_2000__264__169_0)

© Société mathématique de France, 2000, tous droits réservés.

L'accès aux archives de la collection « Astérisque » (<http://smf4.emath.fr/Publications/Asterisque/>) implique l'accord avec les conditions générales d'utilisation (<http://www.numdam.org/conditions>). Toute utilisation commerciale ou impression systématique est constitutive d'une infraction pénale. Toute copie ou impression de ce fichier doit contenir la présente mention de copyright.

NUMDAM

*Article numérisé dans le cadre du programme  
Numérisation de documents anciens mathématiques*

<http://www.numdam.org/>

# INDEX

- $(E, K)$ -quasi-affinoid-semianalytic, 125
- $(E, K)$ -quasi-affinoid-subanalytic, 125
- $(S_{m,n}/I)^\sim$ , 19
- $(S_{m,n}/I)^\ell$ , 19
- $A\langle f/g \rangle$  generalized ring of fractions, 111
- $A\langle f/h \rangle \llbracket g/h \rrbracket_s$  generalized ring of fractions, 85
- $A\langle \frac{f}{h} \rangle \llbracket \frac{g}{h} \rrbracket_s$ , 131
- $A\langle \xi \rangle \llbracket \rho \rrbracket_s$ , 83
- $A\llbracket f/g \rrbracket_s$  generalized ring of fractions, 111
- $A^\ell$   $\ell$ -fold norm-direct sum, 25
- $B$ -ring, 7
- $B_p$ , 154
- $B_p$  natural filtration of  $B$ , 8
- $C_a^\bullet(\mathfrak{A}, \mathcal{F})$ , 129
- $C^\bullet(\mathfrak{A}, \mathcal{F})$ , 129
- $D(x, y)$  restricted division, 111
- $D_\nu f$  Hasse derivatives of  $f$ , 112
- $D_{m,n}(c)$ , 55, 58
- $E$ , 9
- $F_{\text{alg}}$  algebraic closure of  $F$ , 110
- $H^\bullet(\mathfrak{A}, \mathcal{F})$ , 129
- $I(B, \varepsilon)$ , 163
- $I^\circ$ , 10
- $K$ -affinoid semianalytic, 125
- $K$ -affinoid subanalytic, 125
- $K$  complete, non-Archimedean valued field, 3
- $K\langle \xi \rangle \llbracket \rho \rrbracket_s$  ring of separated power series, 10
- $K^{\circ\circ}$  maximal ideal of  $K^\circ$ , 3
- $K^\circ$  valuation ring of  $K$ , 3
- $K_{\text{alg}}$  algebraic closure of  $K$ , 99
- $L$  language of multiplicatively valued rings, 110
- $L_{\mathcal{E}}$ , 114
- $L_{\mathcal{H}}$ , 113
- $M^\circ$ , 19
- $M^{\circ\circ}$ , 19
- $Q(S_{0,n})$ , 98
- $R$ -subdomain, 86
- $R$ -subdomain of level  $\ell$ , 132
- $R\langle \xi \rangle$  strictly convergent power series, 8
- $R\llbracket \xi \rrbracket$  formal power series, 8
- $S_{0,0}(E', K') \otimes_{S_{0,0}(E, K)}^s$  ground field extension, 97
- $T_m$  Tate ring, 9
- $T_{m+n}(B)$ , 163
- $T_{m+n}(B, \varepsilon)$ , 163
- $U_{i_0 \dots i_q}$ , 129
- $X(f)$ , 132
- $X(f, g^{-1})$ , 132
- $X\left(\frac{f}{h}\right)$ , 132, 139
- $X_1 \amalg X_2$  disjoint union, 137
- $X_1 \times_Z X_2$  fiber product, 137
- $X_\varepsilon$ , 135
- $A_{m,n}$ , 155
- $A_{m,n}(B)$ , 163
- $A_{m,n}(B, \varepsilon)$ , 163
- $\Delta(f)$ , 113
- $\Delta_{m,n}$  polydisc, 3
- $\Delta_{m,n}(c)$  open polydiscs, 55, 58
- $\text{Dom } A$  domain of a generalized ring of fractions, 111
- $H_{m,n}$  ring of Henselian power series, 156
- $\Lambda(M)$  uniform residue module, 48
- $\text{Max } A$  maximal spectrum of  $A$ , 60
- $\text{Max}_K A$   $K$ -algebraic maximal spectrum, 60
- $\mathbb{Q}_p$   $p$ -adic numbers, 9
- $S_{m,n}$  ring of separated power series, 9
- $S_{m,n}(B)$ , 163

- $S_{m,n}^\circ(B, \varepsilon)$ , 163  
 $S_{m,n}^\circ$ , 9  
 $S_{m,n}^{\circ\circ}$ , 9  
 $\text{Sp } A$  quasi-affinoid variety, 137  
 $T_{m,n}(\varepsilon)$  affinoid algebra of rational polydisc, 43  
 $\|f\|_{\text{sup}}$ , 77  
 $\|\cdot\|$  Gauss norm, 9  
 $\|\cdot\|_M$  Gauss residue seminorm, 30  
 $\|\cdot\|_{\text{sup}}$ , 78  
 $\mathbb{C}_p$  completion of algebraic closure of  $\mathbb{Q}_p$ , 90  
 $\mathbb{N}$  natural numbers, 4  
 $\mathbb{R}$  real numbers, 3  
 $\mathbb{R}_+$  nonnegative real numbers, 3  
 $\chi_c$ , 55  
 $\delta_{\xi_i, j}(f)$ , 113  
 $\|\cdot\|_\varepsilon$  supremum norm on  $T_{m,n}(\varepsilon)$ , 43  
 $\mathfrak{B}$  family of  $B$ -rings, 9  
 $\mathfrak{b}(S_{m,n}/I)$  power-bounded elements of  $S_{m,n}/I$ , 77  
 $\mathfrak{q}(S_{m,n}/I)$  quasi-nilpotent elements of  $S_{m,n}/I$ , 77  
 $\mathfrak{t}(S_{m,n}/I)$  topologically-nilpotent elements of  $S_{m,n}/I$ , 77  
 $\widehat{\otimes}_E$  complete tensor product, 11  
 $\iota'_\varepsilon$  noncanonical restriction, 44  
 $\iota_\varepsilon$  restriction to rational polydisc, 44  
 $\|\cdot\|_I$  residue norm, 18  
 $\omega_c$  restriction to open polydiscs, 55  
 $\otimes_A^s$  separated tensor product, 95  
 $\otimes_E$  tensor product, 11  
 $K\langle\langle\xi\rangle\rangle$ , 152  
 $\pi_p$  projection of  $B_p$  to  $\widetilde{B}_p$ , 8, 17, 154  
 $\sigma(M)$  spectral radius of  $M$ , 44  
 $\sigma(f)$  spectral radius of  $f$ , 44  
 $\mathcal{E}(\mathcal{H})$ , 114  
 $\mathcal{H}$ , 114  
 $\mathcal{H}$ -subanalytic, 125  
 $\mathcal{O}(U)$  quasi-affinoid functions on  $U$ , 88  
 $\mathcal{O}_X$  rigid structure sheaf, 131  
 $\mathcal{W}_X$  wobbly sheaf, 131, 133  
 $E(\xi)$ , 153  
 $\sim$  residue, 10  
 $\sqrt{|K \setminus \{0\}|}$ , 45  
 $\sqrt{|K \setminus \{0\}|}$  radical of  $|K \setminus \{0\}|$ , 24  
 $\|\cdot\|_{\text{sup}}$  supremum seminorm, 60, 99  
 $\widetilde{I}$  residue ideal, 10  
 $\widetilde{K}$  residue field, 7  
 $\widetilde{M}$  residue module, 19  
 $\widetilde{S}_{m,n} = S_{m,n}^\circ/S_{m,n}^{\circ\circ}$ , 9  
 $\widetilde{d}$  residue degree, 49  
 $\widetilde{o}$  residue order, 26  
 $\widetilde{o}_M$  residue order, 30  
 $\varphi_\varepsilon$ , 44  
 $|K|$  value group of  $K$ , 24  
 $|f(\mathfrak{m})|$ , 62  
 $|f(\mathfrak{m})|$ , 60  
 $|\cdot|$  norm, 3  
 $\widetilde{B}_i = B_i/B_{i+1}$ , 8  
 $d^q$  coboundary, 129  
 $p$ -components, 113  
 $v$  total value, 26  
 $v_M$  residue total value, 30  
 $w$ -pseudo-Cartesian, 25  
 $w$ -strict, 25  
 $\mathcal{O}_X^{\text{affinoid}}$ , 132  
 $\mathcal{O}_X^{\text{quasi-affinoid}}$ , 132  
 $\mathfrak{N}(I)$  nilradical of  $I$ , 61  
 $\widehat{\phantom{x}}$  completion, 9  
acyclic, 129  
Acyclicity Theorem, 148  
admissible coverings, 130  
admissible open sets, 130  
affinoid algebra, 15  
alternating cochain, 129  
Approximation Theorem, 164  
augmentation homomorphism, 129  
Banach function algebra, 14, 61, 98–100  
Cartesian module, 82  
Čech cohomology, 129  
Čech complex, 129  
closed  $R$ -subdomain, 139  
coboundary, 129  
cochains, 129  
complete, 11, 97  
continuity, 82  
definable, 113  
dimension, 125  
domain of a generalized ring of fractions, 111  
DVR discrete valuation ring, 9  
equidimensional components, 69  
equivalence of norms, 82, 99, 100  
excellent, 65, 66, 161  
existentially definable, 114  
Extension Lemma, 82  
finite map, 101  
Finiteness Theorem, 101  
flat, 41, 68, 156, 159  
Gauss norm, 9, 151, 153, 154, 160  
generalized ring of fractions, 85  
generalized rings of fractions, 111  
globally  $\mathcal{H}$ -semianalytic, 125  
ground field extension, 41, 68, 97  
Hasse derivatives, 112  
Henselian power series, 156

- Laurent covering, 145
- leading coefficient, 63
- linear topology, 8
- majorant, 49
- natural filtration, 8, 17, 154
- nilradical, 61
- Noether normalization, 21, 104
- Nullstellensatz, 61
- Nullstellensatz for  $H_{m,n}$ , 160
- openness of quasi-affinoid domains, 86, 106
- power-bounded, 77, 82
- preregular, 20, 21
- presheaf, 128
- product topology, 9
- pseudo-Cartesian generating system, 25
- quantifier elimination, 76, 90, 122, 124, 141, 143
- quantifier simplification, 124
- quantifier-free definable, 114
- quasi-affinoid algebra, 15
- quasi-affinoid covering, 135
- quasi-affinoid map, 87
- quasi-affinoid morphism, 137
- quasi-affinoid structure presheaf, 132
- quasi-affinoid subdomain, 88, 131
- quasi-affinoid variety, 137
- quasi-finite generating system, 7
- quasi-nilpotent, 77, 82
- quasi-Noetherian, 7
- quasi-rational subdomain, 86
- rational covering, 144
- refinement, 130
- regular of degree  $s$ , 19, 21
- regular ring, 65, 161
- represents all quasi-affinoid maps into  $U$ , 87
- residue degree, 49
- residue module, 19
- residue norm, 18, 30
- residue order, 26
- restriction, 130
- restriction to  $\Delta_{m,n}(c)$ , 55, 58
- restriction to a rational polydisc, 44
- rigid  $G$ -topology, 135
- rigid structure sheaf, 137
- ring of separated power series, 9, 153
- spectral radius, 44
- stratification, 125
- strict generating system, 25
- strictly closed, 18
- strictly convergent power series, 8, 153
- supremum seminorm, 61, 78, 99
- system of definition, 135
- Tate ring, 9
- tensor product, complete, 11, 13
- tensor product, separated, 95
- topologically nilpotent, 77
- total residue order, 63
- total value, 26
- transitivity, 89
- type  $\leq (\ell, j)$ , 148
- UFD unique factorization domain, 67, 167
- uniform residue module, 48
- uniform topology, 8
- universal property, 88
- Weierstrass automorphisms, 20
- Weierstrass Division for  $\mathcal{E}$ , 119
- Weierstrass Division Theorem, 20, 21
- Weierstrass Preparation for  $\mathcal{E}$ , 115
- Weierstrass Preparation Theorem, 20, 23
- wobbly  $G$ -topology, 133
- wobbly sheaf, 133