

Astérisque

The mathematical work of Jean-Michel Bismut: a brief summary

Astérisque, tome 327 (2009), p. XXV-XXXVII

<http://www.numdam.org/item?id=AST_2009_327_R25_0>

© Société mathématique de France, 2009, tous droits réservés.

L'accès aux archives de la collection « Astérisque » ([http://smf4.emath.fr/
Publications/Asterisque/](http://smf4.emath.fr/Publications/Asterisque/)) implique l'accord avec les conditions générales d'utilisation (<http://www.numdam.org/conditions>). Toute utilisation commerciale ou impression systématique est constitutive d'une infraction pénale. Toute copie ou impression de ce fichier doit contenir la présente mention de copyright.

NUMDAM

*Article numérisé dans le cadre du programme
Numérisation de documents anciens mathématiques
<http://www.numdam.org/>*

THE MATHEMATICAL WORK OF JEAN-MICHEL BISMUT: A BRIEF SUMMARY

Jean-Michel Bismut's mathematical career covers two apparently different branches of mathematics: probability theory and global analysis on manifolds. In these two fields, Bismut has made fundamental contributions which have had widespread influence.

In what follows, we will list only a few significant contributions of Bismut in these two fields.

1. From probability theory...

Among many fundamental contributions of Bismut in probability, let us mention the following three:

1.1. — In [3], Bismut established a stochastic version of Pontryagin's maximum principle in control theory. As in its deterministic counterpart, the controlled process x . verifies an initial condition, while the corresponding dual process p . satisfies a final condition. Still, both processes have to be adapted to the given filtration. Bismut gave applications of his principle in [6, 13, 29, 30]. In [8], he applied this principle to mathematical models of economic growth.

Backward stochastic differential equations such as the ones verified by p . have been the starting point of an intensive research in stochastic analysis. Pardoux and Peng, elaborating on Bismut's ideas, built a new theory of such equations, which they applied to mathematical finance. Also Bismut's theory of the hypoelliptic Laplacian (which will be explained later) is partly built on the above considerations.

1.2. — In [47], using the quasi-invariance of the Brownian measure, Bismut gave a new approach to the Malliavin calculus for continuous diffusions. In [55] Bismut developed a Malliavin calculus for point processes. This has led to an extension by various authors of Hörmander's theorem to nonlocal operators.

1.3. — In the difficult book [64] entitled “*Large deviations and the Malliavin Calculus*”, Bismut gave a new development to the Malliavin Calculus. In particular, he established his celebrated integration by parts for the Brownian motion on a Riemannian manifold. In [64], Bismut pioneered the relationship between the Malliavin Calculus and the theory of large deviations, and introduced his well-known nondegeneracy condition for subelliptic heat kernels. This led to unexpected results in the study of subelliptic heat kernels which cannot be obtained by the traditional tools of microlocal analysis.

This book also marks a turning point in Bismut’s work in the direction of index theory.

2. . . . to Index Theory

The starting point of Bismut’s work in index theory is Atiyah’s article⁽²⁾ on Witten’s heuristic proof of the index theorem for Dirac operators. This article exhibits a formal link between the localization formulas of Duistermaat-Heckman in equivariant cohomology and the index theorem. This led Bismut to give a probabilistic proof of the local version of the Atiyah-Singer index theorem for Dirac operators [60], by using the methods developed in [64], and also to give a new proof in [75] of the localization formulas which is parallel to the heat equation proof of the index theorem for Dirac operators.

Quillen wrote two fundamental papers⁽³⁾ on superconnections on \mathbf{Z}_2 -graded vector bundles and on metrics on the determinant line bundle. These two papers have had a dramatic influence on Bismut’s subsequent work.

We now list a few other significant contributions of Bismut to index theory.

2.1. Superconnections, Quillen metrics and η -invariants. — In [74], Bismut gave a heat equation proof of a local version of the Atiyah-Singer families index theorem for Dirac operators. He introduced the by now well-known “Bismut superconnection” associated naturally to a fibered manifold. The Bismut superconnection plays a central role in modern aspects of index theory. It is used in the construction of the families version of classical spectral invariants, such as the analytic torsion of Ray-Singer and the η -invariant of Atiyah-Patodi-Singer.

In [78, 79], Bismut and Freed developed the theory of Quillen metrics on the smooth determinant line bundle associated with a family of Dirac operators, and they

⁽²⁾ M. F. Atiyah, Circular symmetry and stationary-phase approximation, *Astérisque* **131** (1985), 43–59.

⁽³⁾ D. Quillen, Superconnections and the Chern character, *Topology* **24** (1985), 89–95; D. Quillen, Determinants of Cauchy-Riemann operators on Riemann surfaces, *Functional Anal. Appl.* **19**, (1985), 31–34.

constructed a canonical unitary connection on this line bundle. Bismut and Freed proved a local curvature formula for this connection, which generalizes the formula obtained by Quillen. As an application, Bismut and Freed obtained a rigorous proof of the holonomy theorem conjectured by Witten, connecting the holonomy of the determinant line bundle to the η -invariant.

In a series of papers with Jeff Cheeger (starting with [98]), Bismut studied the adiabatic limit of the eta invariant for a fibered manifold. This result extends his results with Freed to arbitrary fibrations. With Cheeger, he defined the $\tilde{\eta}$ form, which generalizes Atiyah-Patodi-Singer's η invariant to families, as a transgression of the superconnection forms. Bismut and Cheeger also established the extension to families of the Atiyah-Patodi-Singer index theorem for manifolds with boundary.

2.2. Analytic torsion and complex geometry. — In [90, 91, 92], Bismut, Gillet and Soulé established a curvature theorem for the Quillen metric on the holomorphic determinant of a direct image by a holomorphic proper submersion, and they also established anomaly formulas for such metrics, which extend Polyakov's anomaly formulas for Riemann surfaces. Here the Quillen metric on the determinant of the cohomology is the product of the L_2 -metric by the Ray-Singer analytic torsion. They also defined higher holomorphic analytic torsion forms, which are a families version of the holomorphic analytic torsion of Ray-Singer.

If $i : Y \rightarrow X$ is an embedding of compact complex manifolds, if E is a holomorphic vector bundle on Y , and if F is a complex of holomorphic vector bundles on X which gives a projective resolution of $i_* E$, Bismut and Lebeau [115] established an *embedding formula*, which compares the Quillen metric on the determinant of the cohomology of E on Y with the Quillen metric on the determinant of the cohomology of F on X . Bott-Chern classes appear in the final formula, as well as the R -genus of Gillet and Soulé. A crucial ingredient is the paper [103], in which Bismut obtained the R genus in terms of the fibrewise harmonic oscillator of a vector bundle. The results of Bismut and Lebeau play a crucial role in the proof by Gillet and Soulé of an *arithmetic Riemann-Roch theorem* in Arakelov theory, in which analytic torsion is an essential ingredient in the definition of the direct image. They are also important for other questions of arithmetic geometry.

The techniques used in the above papers are formidable. They have had many applications to other problems in index theory. For example, Bismut and Zhang [123] gave a new proof of the Cheeger-Müller theorem, which relates the (real) Ray-Singer analytic torsion of a flat vector bundle with the Reidemeister torsion. This proof uses the Witten deformation of the de Rham complex, with ideas partly inspired from [115]. Bismut and Zhang's result is also valid for flat vector bundles which are not unitarily flat. Also Bismut and Lott [136] proved a Riemann-Roch-Grothendieck

formula for flat vector bundles, and defined analytic Ray-Singer torsion forms which generalize the (real) Ray-Singer analytic torsion.

2.3. From loop spaces to the hypoelliptic Laplacian. — We have mentioned that Atiyah's article on Witten's heuristic loop space proof of the index theorem for Dirac operators was the starting point of Bismut's work in index theory. Bismut [67] developed a complete analogy between formal equivariant cohomology of the loop space and his work in index theory (see also [169]).

More recently, he started a courageous program to understand the Hodge theory of the loop space of a Riemannian manifold. This led him to develop a theory of the hypoelliptic Laplacian in de Rham theory in [160], and to construct a hypoelliptic deformation of the Dirac operator in [164]. The hypoelliptic Laplacian, an operator acting on the cotangent bundle of the considered manifold, interpolates between a standard Hodge Laplacian on the original manifold and the generator of the geodesic flow on the cotangent bundle.

One motivation was to extend to loop spaces the Witten deformation of the Hodge Laplacian in de Rham theory as in the proof by Bismut-Zhang of the Cheeger-Müller theorem. Bismut found that, at least formally, a conjecture by Fried, which relates analytic torsion to special values of dynamical zeta functions, should be thought of as an infinite dimensional version of the Cheeger-Müller theorem, in which the Morse function defining the Witten deformation would be the energy. The hypoelliptic Laplacian appears as a semiclassical version of the Witten deformation of the Hodge Laplacian on the loop space.

The rigorous analytic theory is developed in a recent book of Bismut and Lebeau [168]. In their book, Bismut and Lebeau give a comparison formula relating the elliptic and hypoelliptic Ray-Singer metrics on the determinant of the cohomology of a flat vector bundle. In [164], similar results were obtained by Bismut for the Dirac operator and for Quillen metrics.

Bismut gave a simple application of the hypoelliptic Laplacian in [165] to compact Lie groups. In his original paper, Atiyah had suggested that the formula for the heat kernel on a compact Lie group in terms of the lattice of coroots could be possibly interpreted as the consequence of localization formulas over coadjoint orbits for the associated Kac-Moody algebra. Bismut shows that this is indeed the case, the hypoelliptic Laplacian providing the requested link with the localization formulas.

A more recent application to the Selberg trace formula for locally symmetric spaces of noncompact type was found by Bismut in [170]. This work gives a direct link between the trace formula and index theory. There are many potential applications of this result to other areas of mathematics.

3. Conclusion

Several other papers of Bismut have been left aside, such as his paper on excursions of Brownian motion [70], his work with Gillet and Soulé on Bott-Chern currents [110], his proof with Labourie [144] of the Verlinde formula, and his papers with Goette on torsion forms [146, 148, 157]. We hope that the above description of Bismut's work offers a few glimpses of the depth and diversity of Bismut's mathematical contributions.

References

- [1] J.-M. Bismut, *Intégrales convexes et probabilités*, C. R. Acad. Sci. Paris Sér. A-B **274** (1972), A915–A917.
- [2] J.-M. Bismut, *Quelques propriétés des multiapplications mesurables et des intégrales convexes*, C. R. Acad. Sci. Paris Sér. A-B **274** (1972), A983–A985.
- [3] J.-M. Bismut, *Conjugate convex functions in optimal stochastic control*, J. Math. Anal. Appl. **44** (1973), 384–404.
- [4] J.-M. Bismut, *An example of interaction between information and control: the transparency of a game*, IEEE Trans. Automatic Control **AC-18** (1973), no. 5, 518–522.
- [5] J.-M. Bismut, *Intégrales convexes et probabilités*, J. Math. Anal. Appl. **42** (1973), 639–673.
- [6] J.-M. Bismut, *An example of optimal stochastic control with constraints*, SIAM J. Control **12** (1974), 401–418.
- [7] J.-M. Bismut, *Contrôle des processus de sauts*, C. R. Acad. Sci. Paris Sér. A-B **281** (1975), no. 18, Aii, A767–A770.
- [8] J.-M. Bismut, *Growth and optimal intertemporal allocation of risks*, J. Econom. Theory **10** (1975), no. 2, 239–257.
- [9] J.-M. Bismut, *Théorie du potentiel et contrôle des diffusions markoviennes*, Control theory, Numerical Methods and Computer Systems Modelling (Internat. Sympos., IRIA LABORIA, Rocquencourt, 1974), Springer, Berlin, 1975, pp. 283–295. Lecture Notes in Econom. and Math. Systems, Vol. 107.
- [10] J.-M. Bismut, *Contrôle stochastique et arrêt optimal*, C. R. Acad. Sci. Paris Sér. A-B **282** (1976), no. 3, Aii, A163–A165.
- [11] J.-M. Bismut, *Jeux différentiels stochastiques*, C. R. Acad. Sci. Paris Sér. A-B **282** (1976), no. 6, Aii, A333–A335.
- [12] J.-M. Bismut, *Le problème de temps d'arrêt optimal*, C. R. Acad. Sci. Paris Sér. A-B **283** (1976), no. 22, Aii, A989–A992.
- [13] J.-M. Bismut, *Linear quadratic optimal stochastic control with random coefficients*, SIAM J. Control Optimization **14** (1976), no. 3, 419–444.
- [14] J.-M. Bismut, *Sur un problème de Dynkin*, C. R. Acad. Sci. Paris Sér. A-B **282** (1976), no. 11, Aii, A603–A604.
- [15] J.-M. Bismut, *Théorie Probabiliste du Contrôle des Diffusions*, Mem. Amer. Math. Soc. **4** (1976), no. 167, xiii+130 pp.
- [16] J.-M. Bismut and B. Skalli, *Le problème général d'arrêt optimal*, C. R. Acad. Sci. Paris, Sér. A-B **283** (1976), no. 6, Av, A385–A386.
- [17] J.-M. Bismut, *Contrôle stochastique, jeux et temps d'arrêt: applications de la théorie probabiliste du potentiel*, Z. Wahrscheinlichkeitstheorie verw. Gebiete **39** (1977), no. 4, 315–338.

- [18] J.-M. Bismut, *Dualité convexe, temps d'arrêt optimal et contrôle stochastique*, Z. Wahrsch. Verw. Gebiete **38** (1977), no. 3, 169–198.
- [19] J.-M. Bismut, *On optimal control of linear stochastic equations with a linear-quadratic criterion*, SIAM J. Control Optimization **15** (1977), no. 1, 1–4.
- [20] J.-M. Bismut, *Probability theory methods in zero-sum stochastic games*, SIAM J. Control Optimization **15** (1977), no. 4, 539–545.
- [21] J.-M. Bismut, *Sur un problème de Dynkin*, Z. Wahrsch. Verw. Gebiete **39** (1977), no. 1, 31–53.
- [22] J.-M. Bismut, *Temps d'arrêt optimal et quasi-temps d'arrêt*, C. R. Acad. Sci. Paris Sér. A-B **284** (1977), no. 23, A1519–A1521.
- [23] J.-M. Bismut, *Temps d'arrêt optimal et retournement du temps*, C. R. Acad. Sci. Paris Sér. A-B **285** (1977), no. 2, A71–A72.
- [24] J.-M. Bismut and B. Skalli, *Temps d'arrêt optimal, théorie générale des processus et processus de Markov*, Z. Wahrsch. Verw. Gebiete **39** (1977), no. 4, 301–313.
- [25] J.-M. Bismut, *Applications de la théorie du potentiel à des problèmes de contrôle*, Séminaire de Théorie du Potentiel, No. 3 (Paris, 1976/1977), Lecture Notes in Math., vol. 681, Springer, Berlin, 1978, pp. 7–17.
- [26] J.-M. Bismut, *An approximation method in optimal stochastic control*, SIAM J. Control Optimization **16** (1978), no. 1, 122–130.
- [27] J.-M. Bismut, *Control of jump processes and applications*, Bull. Soc. Math. France **106** (1978), no. 1, 25–60.
- [28] J.-M. Bismut, *Contrôle des systèmes linéaires quadratiques: applications de l'intégrale stochastique*, Séminaire de Probabilités, XII (Univ. Strasbourg, Strasbourg, 1976/1977), Lecture Notes in Math., vol. 649, Springer, Berlin, 1978, pp. 180–264.
- [29] J.-M. Bismut, *Duality methods in the control of densities*, SIAM J. Control Optim. **16** (1978), no. 5, 771–777.
- [30] J.-M. Bismut, *An introductory approach to duality in optimal stochastic control*, SIAM Rev. **20** (1978), no. 1, 62–78.
- [31] J.-M. Bismut, *Régularité et continuité des processus*, Z. Wahrsch. Verw. Gebiete **44** (1978), no. 3, 261–268.
- [32] J.-M. Bismut, *Contrôle de processus alternants et applications*, Z. Wahrsch. Verw. Gebiete **47** (1979), no. 3, 241–288.
- [33] J.-M. Bismut, *An introduction to duality in random mechanics*, Stochastic Control Theory and Stochastic Differential Systems (Proc. Workshop, Deutsch. Forschungsgemeinsch., Univ. Bonn, Bad Honnef, 1979), Lecture Notes in Control and Information Sci., vol. 16, Springer, Berlin, 1979, pp. 42–60.
- [34] J.-M. Bismut, *Potential theory in optimal stopping and alternating processes*, Stochastic Control Theory and Stochastic Differential Systems (Proc. Workshop, Deutsch. Forschungsgemeinsch., Univ. Bonn, Bad Honnef, 1979), Lecture Notes in Control and Information Sci., vol. 16, Springer, Berlin, 1979, pp. 285–293.
- [35] J.-M. Bismut, *Problèmes à frontière libre et arbres de mesures*, Séminaire de Probabilités, XIII (Univ. Strasbourg, Strasbourg, 1977/78), Lecture Notes in Math., vol. 721, Springer, Berlin, 1979, pp. 495–520.
- [36] J.-M. Bismut, *Temps d'arrêt optimal, quasi-temps d'arrêt et retournement du temps*, Ann. Probab. **7** (1979), no. 6, 933–964.
- [37] J.-M. Bismut, *Un problème de contrôle stochastique avec observation partielle*, Z. Wahrsch. Verw. Gebiete **49** (1979), no. 1, 63–95.
- [38] J.-M. Bismut, *Diffusions hamiltoniennes, optimalité stochastique et équations de Hamilton-Jacobi*, C. R. Acad. Sci. Paris Sér. A-B **290** (1980), no. 14, A669–A672.

- [39] J.-M. Bismut, *Duality methods in the control of semimartingales*, Analysis and Optimisation of Stochastic Systems (Proc. Internat. Conf., Univ. Oxford, Oxford, 1978), Academic Press, London, 1980, pp. 49–72.
- [40] J.-M. Bismut, *Flots stochastiques et formule de Itô-Stratonovitch généralisée*, C. R. Acad. Sci. Paris Sér. A-B **290** (1980), no. 10, A483–A486.
- [41] J.-M. Bismut, *Formulation géométrique du calcul de Itô, relèvement de connexions et calcul des variations*, C. R. Acad. Sci. Paris Sér. A-B **290** (1980), no. 9, A427–A429.
- [42] J.-M. Bismut, *Intégrales stochastiques non monotones et calcul différentiel stochastique*, C. R. Acad. Sci. Paris Sér. A-B **290** (1980), no. 13, A625–A628.
- [43] J.-M. Bismut, *Calcul des variations sur les processus de sauts*, C. R. Acad. Sci. Paris Sér. I Math. **293** (1981), no. 11, 565–568.
- [44] J.-M. Bismut, *Convex inequalities in stochastic control*, J. Funct. Anal. **42** (1981), no. 2, 226–270.
- [45] J.-M. Bismut, *A generalized formula of Itô and some other properties of stochastic flows*, Z. Wahrscheinlichkeitstheorie Verw. Gebiete **55** (1981), no. 3, 331–350.
- [46] J.-M. Bismut, *Martingales, the Malliavin calculus and Hörmander's theorem*, Stochastic Integrals (Proc. Sympos., Univ. Durham, Durham, 1980), Lecture Notes in Math., vol. 851, Springer, Berlin, 1981, pp. 85–109.
- [47] J.-M. Bismut, *Martingales, the Malliavin calculus and hypoellipticity under general Hörmander's conditions*, Z. Wahrscheinlichkeitstheorie Verw. Gebiete **56** (1981), no. 4, 469–505.
- [48] J.-M. Bismut, *Mécanique Aléatoire*, Lecture Notes in Math., vol. 866, Springer-Verlag, Berlin, 1981, xvi+563 pp. With an English summary.
- [49] J.-M. Bismut and D. Michel, *Diffusions conditionnelles. I. Hypoellipticité partielle*, J. Funct. Anal. **44** (1981), no. 2, 174–211.
- [50] J.-M. Bismut and D. Michel, *Structure des diffusions conditionnelles et calcul des variations*, C. R. Acad. Sci. Paris Sér. I Math. **292** (1981), no. 15, 731–734.
- [51] J.-M. Bismut, *An introduction to the stochastic calculus of variations*, Stochastic differential systems (Bad Honnef, 1982), Lecture Notes in Control and Inform. Sci. vol. 43, Springer, Berlin, 1982, pp. 33–72.
- [52] J.-M. Bismut, *Mécanique aléatoire*, Tenth Saint Flour Probability Summer School—1980 (Saint Flour, 1980), Lecture Notes in Math., vol. 929, Springer, Berlin, 1982, pp. 1–100.
- [53] J.-M. Bismut, *Partially observed diffusions and their control*, SIAM J. Control Optim. **20** (1982), no. 2, 302–309.
- [54] J.-M. Bismut and D. Michel, *Diffusions conditionnelles. II. Générateur conditionnel. Application au filtrage*, J. Funct. Anal. **45** (1982), no. 2, 274–292.
- [55] J.-M. Bismut, *Calcul des variations stochastique et processus de sauts*, Z. Wahrscheinlichkeitstheorie Verw. Gebiete **63** (1983), no. 2, 147–235.
- [56] J.-M. Bismut, *Calcul des variations stochastiques et grandes déviations*, C. R. Acad. Sci. Paris Sér. I Math. **296** (1983), no. 23, 1009–1012.
- [57] J.-M. Bismut, *Le théorème d'Atiyah-Singer pour les opérateurs elliptiques classiques: une approche probabiliste*, C. R. Acad. Sci. Paris Sér. I Math. **297** (1983), no. 8, 481–484.
- [58] J.-M. Bismut and M. Yor, *An inequality for processes which satisfy Kolmogorov's continuity criterion. Application to continuous martingales*, J. Funct. Anal. **51** (1983), no. 2, 166–173.
- [59] J.-M. Bismut, *Addendum: “Control of alternating processes and applications” [Z. Wahrscheinlichkeitstheorie Verw. Gebiete **47** (1979), no. 3, 241–288;],* Z. Wahrscheinlichkeitstheorie Verw. Gebiete **66** (1984), no. 3, 485.

- [60] J.-M. Bismut, *The Atiyah-Singer theorems: a probabilistic approach. I. The index theorem*, J. Funct. Anal. **57** (1984), no. 1, 56–99.
- [61] J.-M. Bismut, *The Atiyah-Singer theorems: a probabilistic approach. II. The Lefschetz fixed point formulas*, J. Funct. Anal. **57** (1984), no. 3, 329–348.
- [62] J.-M. Bismut, *The calculus of boundary processes*, Ann. Sci. École Norm. Sup. (4) **17** (1984), no. 4, 507–622.
- [63] J.-M. Bismut, *Jump processes and boundary processes*, Stochastic Analysis (Katata/Kyoto, 1982), North-Holland Math. Library vol. 32, North-Holland, Amsterdam, 1984, pp. 53–104.
- [64] J.-M. Bismut, *Large Deviations and the Malliavin Calculus*, Progress in Mathematics, vol 45, Birkhäuser Boston Inc., Boston, MA, 1984, viii+216 pp.
- [65] J.-M. Bismut, *On the set of zeros of certain semimartingales*, Proc. London Math. Soc. (3) **49** (1984), no. 1, 73–86.
- [66] J.-M. Bismut, *Formules de Lefschetz délocalisées*, Bony-Sjöstrand-Meyer seminar, 1984–1985, École Polytech., Palaiseau, 1985, Exp. No. 7, 13 pp.
- [67] J.-M. Bismut, *Index theorem and equivariant cohomology on the loop space*, Comm. Math. Phys. **98** (1985), no. 2, 213–237.
- [68] J.-M. Bismut, *Inégalités de Morse dégénérées et complexe de Witten*, C. R. Acad. Sci. Paris Sér. I Math. **301** (1985), no. 1, 23–25.
- [69] J.-M. Bismut, *The infinitesimal Lefschetz formulas: a heat equation proof*, J. Funct. Anal. **62** (1985), no. 3, 435–457.
- [70] J.-M. Bismut, *Last exit decompositions and regularity at the boundary of transition probabilities*, Z. Wahrscheinlichkeitstheorie Verw. Gebiete **69** (1985), no. 1, 65–98.
- [71] J.-M. Bismut, *Le théorème de l'indice des familles: une démonstration par l'équation de la chaleur*, C. R. Acad. Sci. Paris Sér. I Math. **300** (1985), no. 20, 691–693.
- [72] J.-M. Bismut, *Transformations différentiables du mouvement brownien*, Astérisque (1985), no. 131, 61–87, Colloquium in Honor of Laurent Schwartz, Vol. 1 (Palaiseau, 1983).
- [73] J.-M. Bismut and D.S. Freed, *Fibré déterminant et invariant éta*, C. R. Acad. Sci. Paris Sér. I Math. **301** (1985), no. 14, 707–710.
- [74] J.-M. Bismut, *The Atiyah-Singer index theorem for families of Dirac operators: two heat equation proofs*, Invent. Math. **83** (1986), no. 1, 91–151.
- [75] J.-M. Bismut, *Localization formulas, superconnections, and the index theorem for families*, Comm. Math. Phys. **103** (1986), no. 1, 127–166.
- [76] J.-M. Bismut, *Probability and geometry*, Probability and Analysis (Varenna, 1985), Lecture Notes in Math., vol. 1206, Springer, Berlin, 1986, pp. 1–60.
- [77] J.-M. Bismut, *The Witten complex and the degenerate Morse inequalities*, J. Differential Geom. **23** (1986), no. 3, 207–240.
- [78] J.-M. Bismut and D.S. Freed, *The analysis of elliptic families. I. Metrics and connections on determinant bundles*, Comm. Math. Phys. **106** (1986), no. 1, 159–176.
- [79] J.-M. Bismut and D.S. Freed, *The analysis of elliptic families. II. Dirac operators, eta invariants, and the holonomy theorem*, Comm. Math. Phys. **107** (1986), no. 1, 103–163.
- [80] J.-M. Bismut, *Demain's asymptotic Morse inequalities: a heat equation proof*, J. Funct. Anal. **72** (1987), no. 2, 263–278.
- [81] J.-M. Bismut, *Filtering equation, equivariant cohomology and the Chern character*, VIIIth International Congress on Mathematical Physics (Marseille, 1986), World Sci. Publishing, Singapore, 1987, pp. 17–56.

- [82] J.-M. Bismut, *Index theorem and the heat equation*, Proceedings of the International Congress of Mathematicians, Vol. 1, 2 (Berkeley, Calif., 1986) (Providence, RI), Amer. Math. Soc., 1987, pp. 491–504.
- [83] J.-M. Bismut and J. Cheeger, *Invariants éta et indice des familles pour des variétés à bord*, C. R. Acad. Sci. Paris Sér. I Math. **305** (1987), no. 4, 127–130.
- [84] J.-M. Bismut, H. Gillet, and C. Soulé, *Torsion analytique et fibrés déterminants holomorphes*, C. R. Acad. Sci. Paris Sér. I Math. **305** (1987), no. 3, 81–84.
- [85] J.-M. Bismut, *Formules de Lichnerowicz et théorème de l'indice*, Géométrie différentielle (Paris, 1986), Travaux en Cours, vol. 33, Hermann, Paris, 1988, pp. 11–31.
- [86] J.-M. Bismut, *Formules de localisation et formules de Paul Lévy*, Astérisque (1988), no. 157–158, 37–58, Colloque Paul Lévy sur les Processus Stochastiques (Palaiseau, 1987).
- [87] J.-M. Bismut, *Localisation du caractère de Chern en géométrie complexe et superconnexions*, C. R. Acad. Sci. Paris Sér. I Math. **307** (1988), no. 10, 523–526.
- [88] J.-M. Bismut, *Transgressed Chern forms for Dirac operators*, J. Funct. Anal. **77** (1988), no. 1, 32–50.
- [89] J.-M. Bismut and J.-B. Bost, *Fibrés déterminants, métriques de Quillen et dégénérescence des courbes*, C. R. Acad. Sci. Paris Sér. I Math. **307** (1988), no. 7, 317–320.
- [90] J.-M. Bismut, H. Gillet, and C. Soulé, *Analytic torsion and holomorphic determinant bundles. I. Bott-Chern forms and analytic torsion*, Comm. Math. Phys. **115** (1988), no. 1, 49–78.
- [91] J.-M. Bismut, H. Gillet, and C. Soulé, *Analytic torsion and holomorphic determinant bundles. II. Direct images and Bott-Chern forms*, Comm. Math. Phys. **115** (1988), no. 1, 79–126.
- [92] J.-M. Bismut, H. Gillet, and C. Soulé, *Analytic torsion and holomorphic determinant bundles. III. Quillen metrics on holomorphic determinants*, Comm. Math. Phys. **115** (1988), no. 2, 301–351.
- [93] J.-M. Bismut, H. Gillet, and C. Soulé, *Classes caractéristiques secondaires et immersions en géométrie complexe*, C. R. Acad. Sci. Paris Sér. I Math. **307** (1988), no. 11, 565–567.
- [94] J.-M. Bismut and É. Vasserot, *Comportement asymptotique de la torsion analytique associée aux puissances d'un fibré en droites positif*, C. R. Acad. Sci. Paris Sér. I Math. **307** (1988), no. 14, 779–781.
- [95] J.-M. Bismut, *Complexe de Koszul, oscillateur harmonique et classe de Todd*, C. R. Acad. Sci. Paris Sér. I Math. **309** (1989), no. 2, 111–114.
- [96] J.-M. Bismut, *Le théorème d'indice local pour des variétés non kähleriennes*, C. R. Acad. Sci. Paris Sér. I Math. **308** (1989), no. 5, 139–142.
- [97] J.-M. Bismut, *A local index theorem for non-Kähler manifolds*, Math. Ann. **284** (1989), no. 4, 681–699.
- [98] J.-M. Bismut and J. Cheeger, *η -invariants and their adiabatic limits*, J. Amer. Math. Soc. **2** (1989), no. 1, 33–70.
- [99] J.-M. Bismut and G. Lebeau, *Immersions complexes et métriques de Quillen*, C. R. Acad. Sci. Paris Sér. I Math. **309** (1989), no. 7, 487–491.
- [100] J.-M. Bismut and É. Vasserot, *The asymptotics of the Ray-Singer analytic torsion associated with high powers of a positive line bundle*, Comm. Math. Phys. **125** (1989), no. 2, 355–367.
- [101] J.-M. Bismut, *Equivariant Bott-Chern currents and the Ray-Singer analytic torsion*, Math. Ann. **287** (1990), no. 3, 495–507.

- [102] J.-M. Bismut, *Eta invariants and complex immersions*, Bull. Soc. Math. France **118** (1990), no. 2, 211–227.
- [103] J.-M. Bismut, *Koszul complexes, harmonic oscillators, and the Todd class*, J. Amer. Math. Soc. **3** (1990), no. 1, 159–256. With an appendix by the author and C. Soulé.
- [104] J.-M. Bismut, *Métriques de Quillen et plongements complexes*, Séminaire sur les Équations aux Dérivées Partielles, 1989–1990, École Polytech., Palaiseau, 1990, Exp. No. XX, 21 pp.
- [105] J.-M. Bismut, *Superconnection currents and complex immersions*, Invent. Math. **99** (1990), no. 1, 59–113.
- [106] J.-M. Bismut and J.-B. Bost, *Fibrés déterminants, métriques de Quillen et dégénérescence des courbes*, Acta Math. **165** (1990), no. 1-2, 1–103.
- [107] J.-M. Bismut and J. Cheeger, *Families index for manifolds with boundary, superconnections, and cones. I. Families of manifolds with boundary and Dirac operators*, J. Funct. Anal. **89** (1990), no. 2, 313–363.
- [108] J.-M. Bismut and J. Cheeger, *Families index for manifolds with boundary, superconnections and cones. II. The Chern character*, J. Funct. Anal. **90** (1990), no. 2, 306–354.
- [109] J.-M. Bismut, H. Gillet, and C. Soulé, *Bott-Chern currents and complex immersions*, Duke Math. J. **60** (1990), no. 1, 255–284.
- [110] J.-M. Bismut, H. Gillet, and C. Soulé, *Complex immersions and Arakelov geometry*, The Grothendieck Festschrift, Vol. I, Progress in Mathematics, vol. 86, Birkhäuser Boston, Boston, MA, 1990, pp. 249–331.
- [111] J.-M. Bismut and É. Vasserot, *The asymptotics of the Ray-Singer analytic torsion of the symmetric powers of a positive vector bundle*, Ann. Inst. Fourier (Grenoble) **40** (1990), no. 4, 835–848.
- [112] J.-M. Bismut, *Superconnexions, indice local des familles, déterminant de la cohomologie et métriques de Quillen*, Mém. Soc. Math. France (N.S.) (1991), no. 46, 27–72, Analyse Globale et Physique Mathématique (Lyon, 1989).
- [113] J.-M. Bismut and J. Cheeger, *Transgression de la classe d'Euler de $\mathrm{sl}(2n, \mathbf{Z})$ -fibrés vectoriels, limites adiabatiques d'invariants éta, et valeurs spéciales de fonctions L*, C. R. Acad. Sci. Paris Sér. I Math. **312** (1991), no. 5, 399–404.
- [114] J.-M. Bismut and J. Cheeger, *Remarks on the index theorem for families of Dirac operators on manifolds with boundary*, Differential Geometry, Pitman Monogr. Surveys Pure Appl. Math., vol. 52, Longman Sci. Tech., Harlow, 1991, pp. 59–83.
- [115] J.-M. Bismut and G. Lebeau, *Complex immersions and Quillen metrics*, Inst. Hautes Études Sci. Publ. Math. (1991), no. 74, ii+298 pp.
- [116] J.-M. Bismut and W. Zhang, *Métriques de Reidemeister et métriques de Ray-Singer sur le déterminant de la cohomologie d'un fibré plat: une extension d'un résultat de Cheeger et Müller*, C. R. Acad. Sci. Paris Sér. I Math. **313** (1991), no. 11, 775–782.
- [117] A. Berthomieu and J.-M. Bismut, *Formes de torsion analytique et métriques de Quillen*, C. R. Acad. Sci. Paris Sér. I Math. **315** (1992), no. 10, 1071–1077.
- [118] J.-M. Bismut, *Bott-Chern currents, excess normal bundles and the Chern character*, Geom. Funct. Anal. **2** (1992), no. 3, 285–340.
- [119] J.-M. Bismut, *Complex equivariant intersection, excess normal bundles and Bott-Chern currents*, Comm. Math. Phys. **148** (1992), no. 1, 1–55.
- [120] J.-M. Bismut, *On certain infinite-dimensional aspects of Arakelov intersection theory*, Comm. Math. Phys. **148** (1992), no. 2, 217–248.
- [121] J.-M. Bismut and J. Cheeger, *Transgressed Euler classes of $\mathrm{sl}(2n, \mathbf{Z})$ vector bundles, adiabatic limits of eta invariants and special values of L-functions*, Ann. Sci. École Norm. Sup. (4) **25** (1992), no. 4, 335–391.

- [122] J.-M. Bismut and K. Köhler, *Higher analytic torsion forms for direct images and anomaly formulas*, J. Algebraic Geom. **1** (1992), no. 4, 647–684.
- [123] J.-M. Bismut and W. Zhang, *An Extension of a Theorem by Cheeger and Müller*, Astérisque (1992), no. 205, 235 pp, With an appendix by François Laudenbach.
- [124] J.-M. Bismut, *From Quillen metrics to Reidemeister metrics: some aspects of the Ray-Singer analytic torsion*, Topological Methods in Modern Mathematics (Stony Brook, NY, 1991), Publish or Perish, Houston, TX, 1993, pp. 273–324.
- [125] J.-M. Bismut, *Métriques de Quillen équivariantes et plongements complexes*, C. R. Acad. Sci. Paris Sér. I Math. **316** (1993), no. 8, 827–832.
- [126] J.-M. Bismut, *Torsion analytique équivariante d'une suite exacte courte de fibrés holomorphes*, C. R. Acad. Sci. Paris Sér. I Math. **316** (1993), no. 6, 579–584.
- [127] J.-M. Bismut and J. Lott, *Fibrés plats, images directes et formes de torsion analytique*, C. R. Acad. Sci. Paris Sér. I Math. **316** (1993), no. 5, 477–482.
- [128] J.-M. Bismut and W. Zhang, *Real embeddings and eta invariants*, Math. Ann. **295** (1993), no. 4, 661–684.
- [129] A. Berthomieu and J.-M. Bismut, *Quillen metrics and higher analytic torsion forms*, J. Reine Angew. Math. **457** (1994), 85–184.
- [130] J.-M. Bismut, *Equivariant short exact sequences of vector bundles and their analytic torsion forms*, Compositio Math. **93** (1994), no. 3, 291–354.
- [131] J.-M. Bismut, *Métriques de Quillen et dégénérescence de variétés kähleriennes*, C. R. Acad. Sci. Paris Sér. I Math. **319** (1994), no. 12, 1287–1291.
- [132] J.-M. Bismut, *Plongements complexes équivariants et métriques de Quillen*, Les grands systèmes des sciences et de la technologie, RMA Res. Notes Appl. Math., vol. 28, Masson, Paris, 1994, pp. 95–105.
- [133] J.-M. Bismut and W. Zhang, *Milnor and Ray-Singer metrics on the equivariant determinant of a flat vector bundle*, Geom. Funct. Anal. **4** (1994), no. 2, 136–212.
- [134] J.-M. Bismut, *Equivariant immersions and Quillen metrics*, J. Differential Geom. **41** (1995), no. 1, 53–157.
- [135] J.-M. Bismut, *Familles d'immersions et formes de torsion analytique en degré supérieur*, C. R. Acad. Sci. Paris Sér. I Math. **320** (1995), no. 8, 969–974.
- [136] J.-M. Bismut and J. Lott, *Flat vector bundles, direct images and higher real analytic torsion*, J. Amer. Math. Soc. **8** (1995), no. 2, 291–363.
- [137] J.-M. Bismut, *Holomorphic Families of Immersions and Higher analytic Torsion Forms*, Astérisque (1997), no. 244, viii+275 pp.
- [138] J.-M. Bismut, *Quillen metrics and singular fibres in arbitrary relative dimension*, J. Algebraic Geom. **6** (1997), no. 1, 19–149.
- [139] J.-M. Bismut and F. Labourie, *Formules de Verlinde pour les groupes simplement connexes et géométrie symplectique*, C. R. Acad. Sci. Paris Sér. I Math. **325** (1997), no. 9, 1009–1014.
- [140] J.-M. Bismut and J. Lott, *Torus bundles and the group cohomology of $GL(N, \mathbb{Z})$* , J. Differential Geom. **47** (1997), no. 2, 196–236.
- [141] J.-M. Bismut, *Local index theory and higher analytic torsion*, Proceedings of the International Congress of Mathematicians, Vol. I (Berlin, 1998), no. Extra Vol. I, 1998, pp. 143–162.
- [142] J.-M. Bismut, *Local index theory, eta invariants and holomorphic torsion: a survey*, Surveys in Differential Geometry, Vol. III (Cambridge, MA, 1996), Int. Press, Boston, MA, 1998, pp. 1–76.
- [143] J.-M. Bismut and S. Goette, *Torsions analytiques équivariantes holomorphes*, C. R. Acad. Sci. Paris Sér. I Math. **329** (1999), no. 3, 203–210.

- [144] J.-M. Bismut and F. Labourie, *Symplectic geometry and the Verlinde formulas*, Surveys in Differential Geometry: Differential Geometry Inspired by String Theory, Surv. Differ. Geom., vol. 5, Int. Press, Boston, MA, 1999, pp. 97–311.
- [145] J.-M. Bismut and S. Goette, *Formes de torsion analytique en théorie de de Rham et fonctions de Morse*, C. R. Acad. Sci. Paris Sér. I Math. **330** (2000), no. 6, 479–484.
- [146] J.-M. Bismut and S. Goette, *Holomorphic equivariant analytic torsions*, Geom. Funct. Anal. **10** (2000), no. 6, 1289–1422.
- [147] J.-M. Bismut and S. Goette, *Rigidité des formes de torsion analytique en théorie de de Rham*, C. R. Acad. Sci. Paris Sér. I Math. **330** (2000), no. 6, 471–477.
- [148] J.-M. Bismut and S. Goette, *Families Torsion and Morse Functions*, Astérisque (2001), no. 275, x+293 pp.
- [149] J.-M. Bismut and S. Goette, *Torsions analytiques équivariantes en théorie de de Rham*, C. R. Acad. Sci. Paris Sér. I Math. **332** (2001), no. 1, 33–39.
- [150] J.-M. Bismut, *Les formes de torsion holomorphes du complexe de de Rham*, C. R. Math. Acad. Sci. Paris **335** (2002), no. 3, 243–247.
- [151] J.-M. Bismut and X. Ma, *Familles d’immersions holomorphes et formes de torsion analytique équivariantes*, C. R. Math. Acad. Sci. Paris **334** (2002), no. 10, 893–897.
- [152] J.-M. Bismut, *Holomorphic and de Rham torsion*, Compos. Math. **140** (2004), no. 5, 1302–1356.
- [153] J.-M. Bismut, *Le Laplacien hypoelliptique*, Séminaire: Équations aux Dérivées Partielles. 2003–2004, Sémin. Équ. Dériv. Partielles, École Polytech., Palaiseau, 2004, Exp. No. XXII, 15 pp.
- [154] J.-M. Bismut, *Le Laplacien hypoelliptique sur le fibré cotangent*, C. R. Math. Acad. Sci. Paris **338** (2004), no. 7, 555–559.
- [155] J.-M. Bismut, *Une déformation de la théorie de Hodge sur le fibré cotangent*, C. R. Math. Acad. Sci. Paris **338** (2004), no. 6, 471–476.
- [156] J.-M. Bismut, *Une déformation en famille du complexe de de Rham-Hodge*, C. R. Math. Acad. Sci. Paris **338** (2004), no. 8, 623–627.
- [157] J.-M. Bismut and S. Goette, *Equivariant de Rham torsions*, Ann. of Math. (2) **159** (2004), no. 1, 53–216.
- [158] J.-M. Bismut and X. Ma, *Holomorphic immersions and equivariant torsion forms*, J. Reine Angew. Math. **575** (2004), 189–235.
- [159] J.-M. Bismut, *Eta invariants, differential characters and flat vector bundles*, Chinese Ann. Math. Ser. B **26** (2005), no. 1, 15–44. With an appendix by K. Corlette and H. Esnault.
- [160] J.-M. Bismut, *The hypoelliptic Laplacian on the cotangent bundle*, J. Amer. Math. Soc. **18** (2005), no. 2, 379–476.
- [161] J.-M. Bismut and G. Lebeau, *Laplacien hypoelliptique et torsion analytique*, C. R. Math. Acad. Sci. Paris **341** (2005), no. 2, 113–118.
- [162] J.-M. Bismut, *The hypoelliptic Laplacian and Chern-Gauss-Bonnet*, Differential Geometry and Physics, Nankai Tracts in Math., vol. 10, World Sci. Publ., Hackensack, NJ, 2006, pp. 38–52.
- [163] J.-M. Bismut, *L’opérateur de Dirac hypoelliptique*, C. R. Math. Acad. Sci. Paris **343** (2006), no. 10, 647–651.
- [164] J.-M. Bismut, *The hypoelliptic Dirac operator*, Geometry and Dynamics of Groups and Spaces, Progress in Mathematics, vol. 265, Birkhäuser, Basel, 2008, pp. 113–246.
- [165] J.-M. Bismut, *The hypoelliptic Laplacian on a compact Lie group*, J. Funct. Anal. **255** (2008), no. 9, 2190–2232.

- [166] J.-M. Bismut, *Loop spaces and the hypoelliptic Laplacian*, Comm. Pure Appl. Math. **61** (2008), no. 4, 559–593.
 - [167] J.-M. Bismut, *A survey of the hypoelliptic Laplacian*, Astérisque **322** (2008), 39–69. Conference in honor of J.-P. Bourguignon.
 - [168] J.-M. Bismut and G. Lebeau, *The Hypoelliptic Laplacian and Ray-Singer Metrics*, Annals of Mathematics Studies, vol. 167, Princeton University Press, Princeton, NJ, 2008, x+367 pp.
 - [169] J.-M. Bismut, *Duistermaat-Heckman formulas and index theory*, (2009). Conference in honor of Hans Duistermaat.
 - [170] J.-M. Bismut, *Hypoelliptic Laplacian and orbital integrals*, (2009).
-