

ANNALI DELLA SCUOLA NORMALE SUPERIORE DI PISA *Classe di Scienze*

H. BEIRÃO DA VEIGA

**Errata-Corrige : “Diffusion on viscous fluids. Existence
and asymptotic properties of solutions”**

Annali della Scuola Normale Superiore di Pisa, Classe di Scienze 4^e série, tome 11,
n° 3 (1984), p. 501

http://www.numdam.org/item?id=ASNSP_1984_4_11_3_501_0

© Scuola Normale Superiore, Pisa, 1984, tous droits réservés.

L'accès aux archives de la revue « Annali della Scuola Normale Superiore di Pisa, Classe di Scienze » (<http://www.sns.it/it/edizioni/riviste/annaliscienze/>) implique l'accord avec les conditions générales d'utilisation (<http://www.numdam.org/conditions>). Toute utilisation commerciale ou impression systématique est constitutive d'une infraction pénale. Toute copie ou impression de ce fichier doit contenir la présente mention de copyright.

NUMDAM

Article numérisé dans le cadre du programme
Numérisation de documents anciens mathématiques
<http://www.numdam.org/>

ERRATA - CORRIGE

Diffusion on Viscous Fluids. Existence and Asymptotic Properties of Solutions.

H. BEIRÃO DA VEIGA

Serie IV, vol. X, n. 2 (1983), pp. 341-355

In the paper by the same title appeared in this Journal the following minor corrections must be made, even if they are quite obvious to a careful reader:

p. 344: In the right hand side of the first equation (1.1) one must replace $-\nabla\varrho$ by $-\nabla p$. Moreover in equation (1.3) the symbol $\geq$ must be replaced by $<$.

p. 345: In theorem A, it is obvious that the condition

$$\varrho_0 \in H_N^2$$

must be replaced by

$$\varrho_0 - \hat{\varrho} \in H_N^2.$$

Similarly, (in the same theorem) in the expression

$$\varrho \in L^2(0, T_1; H_N^3) \cap C(0, T_1; H_N^2)$$

ϱ must be replaced by $\varrho - \hat{\varrho}$.

p. 348: In the right hand side of equation (2.8), λ^2/ϱ^2 must be replaced by λ^2/ϱ .

Moreover, in equation (2.10) $v \cdot \nabla \sigma$ must be replaced by $-v \cdot \nabla \sigma$.

p. 350: In the definition of $\mathcal{K}_2$ the term

$$\|\sigma'\|_{L^2(0,T;H^1)}^2$$

must be replaced by

$$\|\sigma'\|_{L^2(0,T;H^1)}^2.$$

Moreover, in the definition of K_0 (line 20), $\sqrt{2}c_2$ must be replaced by $\sqrt{2c_2}$.

Pervenuto alla Redazione il 20 Settembre 1984.