Astérisque

Index

Astérisque, tome 264 (2000), p. 169-171

<http://www.numdam.org/item?id=AST_2000__264__169_0>

© Société mathématique de France, 2000, tous droits réservés.

L'accès aux archives de la collection « Astérisque » (http://smf4.emath.fr/Publications/Asterisque/) implique l'accord avec les conditions générales d'utilisation (http://www.numdam.org/conditions). Toute utilisation commerciale ou impression systématique est constitutive d'une infraction pénale. Toute copie ou impression de ce fichier doit contenir la présente mention de copyright.

NUMDAM

Article numérisé dans le cadre du programme
Numérisation de documents anciens mathématiques
http://www.numdam.org/

INDEX

(E, K)-quasi-affinoid-semianalytic, 125
(E, K)-quasi-affinoid-subanalytic, 125
$(S_{m,n}/I)^{\sim}$, 19
$(S_{m,n}/I)^{\ell}$, 19
$A\langle f/g\rangle$ generalized ring of fractions, 111
$A\langle f/h\rangle[\![g/h]\!]_s$ generalized ring of fractions, 85
$A\langle \frac{f}{h}\rangle[\![\frac{g}{h}]\!]_s$, 131
$A\langle\xi\rangle[\![\rho]\!]_s$, 83
$A[\![f/g]\!]_s$ generalized ring of fractions, 111
A^{ℓ} ℓ-fold norm-direct sum, 25
B-ring, 7
B_p, 154
B_p natural filtration of B, 8
$C^{\bullet}_{\mathrm{a}}(\mathfrak{A}, \mathcal{F})$, 129
$C^{\bullet}(\mathfrak{A}, \mathcal{F})$, 129
$D(x, y)$ restricted division, 111
$D_\nu f$ Hasse derivatives of f, 112
$D_{m,n}(c)$, 55, 58
E, 9
F_{alg} algebraic closure of F, 110
$H^{\bullet}(\mathfrak{A}, \mathcal{F})$, 129
$I(B, \varepsilon)$, 163
I°, 10
K-affinoid semianalytic, 125
K-affinoid subanalytic, 125
K complete, non-Archimedean valued field, 3
$K\langle\xi\rangle[\![\rho]\!]_s$ ring of separated power series, 10
$K^{\circ\circ}$ maximal ideal of K°, 3
K° valuation ring of K, 3
K_{alg} algebraic closure of K, 99
L language of multiplicatively valued rings, 110
$L_{\mathcal{E}}$, 114
$L_{\mathcal{H}}$, 113
M°, 19
$M^{\circ\circ}$, 19
$Q(S_{0,n})$, 98
R-subdomain, 86
R-subdomain of level ℓ, 132
$R\langle\xi\rangle$ strictly convergent power series, 8
$R[\![\xi]\!]$ formal power series, 8
$S_{0,0}(E', K')\otimes^{s}_{S_{0,0}(E,K)}$ ground field extension, 97
T_m Tate ring, 9
$T_{m+n}(B)$, 163
$T_{m+n}(B, \varepsilon)$, 163
$U_{i_0 \ldots i_q}$, 129
$X(f)$, 132
$X(f, g^{-1})$, 132
$X\left(\frac{f}{h}\right)$, 132, 139
$X_1 \amalg X_2$ disjoint union, 137
$X_1 \times_Z X_2$ fiber product, 137
X_ε, 135
$A_{m,n}$, 155
$A_{m,n}(B)$, 163
$A_{m,n}(B, \varepsilon)$, 163
$\Delta(f)$, 113
$\Delta_{m,n}$ polydisc, 3
$\Delta_{m,n}(c)$ open polydiscs, 55, 58
$\mathrm{Dom}\, A$ domain of a generalized ring of fractions, 111
$H_{m,n}$ ring of Henselian power series, 156
$\Lambda(M)$ uniform residue module, 48
$\mathrm{Max}\, A$ maximal spectrum of A, 60
$\mathrm{Max}_K A$ K-algebraic maximal spectrum, 60
$\mathbb{Q}_p$ p-adic numbers, 9
$S_{m,n}$ ring of separated power series, 9
$S_{m,n}(B)$, 163

$S_{m,n}(B,\varepsilon)$, 163
$S^{\circ}_{m,n}$, 9
$S^{\circ\circ}_{m,n}$, 9
$\operatorname{Sp} A$ quasi-affinoid variety, 137
$T_{m,n}(\varepsilon)$ affinoid algebra of rational polydisc, 43
$||f||_{\sup}$, 77
$||\cdot||$ Gauss norm, 9
$||\cdot||_M$ Gauss residue seminorm, 30
$||\cdot||_{\sup}$, 78
$\mathbb{C}_p$ completion of algebraic closure of $\mathbb{Q}_p$, 90
$\mathbb{N}$ natural numbers, 4
$\mathbb{R}$ real numbers, 3
$\mathbb{R}_+$ nonnegative real numbers, 3
χ_c, 55
$\delta_{\xi_i,j}(f)$, 113
$||\cdot||_{\varepsilon}$ supremum norm on $T_{m,n}(\varepsilon)$, 43
$\mathfrak{B}$ family of B-rings, 9
$\mathfrak{b}(S_{m,n}/I)$ power-bounded elements of $S_{m,n}/I$, 77
$\mathfrak{q}(S_{m,n}/I)$ quasi-nilpotent elements of $S_{m,n}/I$, 77
$\mathfrak{t}(S_{m,n}/I)$ topologically-nilpotent elements of $S_{m,n}/I$, 77
$\widehat{\otimes}_E$ complete tensor product, 11
ι'_{ε} noncanonical restriction, 44
ι_{ε} restriction to rational polydisc, 44
$||\cdot||_I$ residue norm, 18
ω_c restriction to open polydiscs, 55
$\otimes^s_A$ separated tensor product, 95
$\otimes_E$ tensor product, 11
$K\langle\langle\xi\rangle\rangle$, 152
π_p projection of B_p to $\widetilde{B}_p$, 8, 17, 154
$\sigma(M)$ spectral radius of M, 44
$\sigma(f)$ spectral radius of f, 44
$\mathcal{E}(\mathcal{H})$, 114
$\mathcal{H}$, 114
$\mathcal{H}$-subanalytic, 125
$\mathcal{O}(U)$ quasi-affinoid functions on U, 88
$\mathcal{O}_X$ rigid structure sheaf, 131
$\mathcal{W}_X$ wobbly sheaf, 131, 133
$E\langle\xi\rangle$, 153
$\sim$ residue, 10
$\sqrt{|K\setminus\{0\}|}$, 45
$\sqrt{|K\setminus\{0\}|}$ radical of $|K\setminus\{0\}|$, 24
$||\cdot||_{\sup}$ supremum seminorm, 60, 99
$\widetilde{I}$ residue ideal, 10
$\widetilde{K}$ residue field, 7
$\widetilde{M}$ residue module, 19
$\widetilde{S}_{m,n} = S^{\circ}_{m,n}/S^{\circ\circ}_{m,n}$, 9
$\widetilde{d}$ residue degree, 49
$\widetilde{\mathrm{o}}$ residue order, 26
$\widetilde{\mathrm{o}}_M$ residue order, 30
φ_{ε}, 44
$|K|$ value group of K, 24
$|f(\mathfrak{m})|$, 62
$|f(\mathfrak{m})|$, 60
$|\cdot|$ norm, 3
$\widetilde{B}_i = B_i/B_{i+1}$, 8
d^q coboundary, 129
p-components, 113
v total value, 26
v_M residue total value, 30
w-pseudo-Cartesian, 25
w-strict, 25
$\mathcal{O}_X^{\text{affinoid}}$, 132
$\mathcal{O}_X^{\text{quasi-affinoid}}$, 132
$\mathfrak{N}(I)$ nilradical of I, 61
$\widehat{\ }$ completion, 9
acyclic, 129
Acyclicity Theorem, 148
admissible coverings, 130
admissible open sets, 130
affinoid algebra, 15
alternating cochain, 129
Approximation Theorem, 164
augmentation homomorphism, 129
Banach function algebra, 14, 61, 98–100
Cartesian module, 82
Cech cohomology, 129
Cech complex, 129
closed R-subdomain, 139
coboundary, 129
cochains, 129
complete, 11, 97
continuity, 82
definable, 113
dimension, 125
domain of a generalized ring of fractions, 111
DVR discrete valuation ring, 9
equidimensional components, 69
equivalence of norms, 82, 99, 100
excellent, 65, 66, 161
existentially definable, 114
Extension Lemma, 82
finite map, 101
Finiteness Theorem, 101
flat, 41, 68, 156, 159
Gauss norm, 9, 151, 153, 154, 160
generalized ring of fractions, 85
generalized rings of fractions, 111
globally $\mathcal{H}$-semianalytic, 125
ground field extension, 41, 68, 97
Hasse derivatives, 112
Henselian power series, 156

Laurent covering, 145
leading coefficient, 63
linear topology, 8
majorant, 49
natural filtration, 8, 17, 154
nilradical, 61
Noether normalization, 21, 104
Nullstellensatz, 61
Nullstellensatz for $H_{m,n}$, 160
openness of quasi-affinoid domains, 86, 106
power-bounded, 77, 82
preregular, 20, 21
presheaf, 128
product topology, 9
pseudo-Cartesian generating system, 25
quantifier elimination, 76, 90, 122, 124, 141, 143
quantifier simplification, 124
quantifier-free definable, 114
quasi-affinoid algebra, 15
quasi-affinoid covering, 135
quasi-affinoid map, 87
quasi-affinoid morphism, 137
quasi-affinoid structure presheaf, 132
quasi-affinoid subdomain, 88, 131
quasi-affinoid variety, 137
quasi-finite generating system, 7
quasi-nilpotent, 77, 82
quasi-Noetherian, 7
quasi-rational subdomain, 86
rational covering, 144
refinement, 130
regular of degree s, 19, 21
regular ring, 65, 161
represents all quasi-affinoid maps into U, 87
residue degree, 49
residue module, 19
residue norm, 18, 30
residue order, 26
restriction, 130
restriction to $\Delta_{m,n}(c)$, 55, 58
restriction to a rational polydisc, 44
rigid G-topology, 135
rigid structure sheaf, 137
ring of separated power series, 9, 153
spectral radius, 44
stratification, 125
strict generating system, 25
strictly closed, 18
strictly convergent power series, 8, 153
supremum seminorm, 61, 78, 99
system of definition, 135
Tate ring, 9
tensor product, complete, 11, 13
tensor product, separated, 95
topologically nilpotent, 77
total residue order, 63
total value, 26
transitivity, 89
type $\leq (\ell, j)$, 148
UFD unique factorization domain, 67, 167
uniform residue module, 48
uniform topology, 8
universal property, 88
Weierstrass automorphisms, 20
Weierstrass Division for $\mathcal{E}$, 119
Weierstrass Division Theorem, 20, 21
Weierstrass Preparation for $\mathcal{E}$, 115
Weierstrass Preparation Theorem, 20, 23
wobbly G-topology, 133
wobbly sheaf, 133